



Li.Tr.99.9208

12/3/2020



Aran International Co.

EXPORT PRODUCTS LIST

Due to high production capacity in Iran, you can order almost everything you need in every capacity and Aran will supply it!

Tables below are information of productions we directly know the producer and high quality of productions is tested and ensured.

Aran does market research and business plan in different countries include Iran, Russia, Afghanistan etc.

Aran International Co. has grade of B1 for Feasibility Study from *Association of Banking and Credit Investment Consultants (ABCIC)*, also has acceleration, coworking space and entrepreneurship consulting center license from *Ministry of Cooperatives, Labor and Social Welfare* in Iran.

Address: No. 29 Golgooneh St. Nelson Mandela Blvd. Tehran, Iran

Tel. No: +982122048816

Cell. No: +989156063060

Branch in *Mashhad*: No. 114 Abuzar Qaffari 25 St. Ahmadabad Blvd. Mashhad, Iran

Tel. No: +985191021226

Fax No: +985138453211

Email Address: info@Aran.Co.com

Web Address: www.Aran.Co.com

HIGH-TECH PRODUCTS

Product Max capacity in every part (Ton) Unit price (USD) Specifications

Sample Image/ Analysis

Gasoil 25k ton 340 Analysis

Analysis	Unit	Limit
Density @ 15°C	Kg/m3	820-860
Distillation:		
Recovered @ 150°C	Vol%	report
Recovered @ 300°C	Vol%	report
Recovered @ 357°C	Vol%	90 min
F.B.P	°C	385 max
Colour	-	3 max
Flash point	°C	54 min
Sulphur Total	wt%	1 max
Corrosion-3hrs@100°C	-	1 a
Viscosity Kinematic@37.8°C	c.St	2.0-2.5
Cloud point	°C	*2.0 max
Pour point	°C	*-3.0 max
Carbon Residue (on 10 % Bottoms)	wt%	0.1 max
Ash	wt%	0.01 max
Water & Sediment	Vol%	0.05 max
Cetane Index	-	50 min

Petrol 20k ton 265 Analysis

PROPERTY	Units	METHOD
Appearance		Visual
Density @115 °c	Kc/m'	ASTM
Reid V-pour Pressure	Psi	ASTM D323
Benzene Content	%vol	ASTM D5580
RON	Ratlnr	ASTM 02699
Existent Gum	mc/100mL	ASTM 0381
Oxysellite5 Content	%wt	ASTM 04815
Distillation at Atmospheric		ASTM D86
Initial bollina point	°c	ASTM086
5% (v/v) Recovered	°c	ASTM 086
10% (v/v) Recovered	°c	ASTM D86
15% (v/v) Recovered	°c	ASTM 086
20% (v/v) Recovered	°c	ASTMD86
30% (v/v) Recovered	°c	ASTM 086
40% (v/v) Recovered	°c	ASTM 086
50% (v/v) Recovered	°c	ASTM 086
60% (v/v) Recovered	°c	ASTM D86
70% (v/v) Recovered	°c	ASTM D86
80% (v/v) Recovered	°c	ASTM 086
85% (v/v) Recovered	°c	ASTM 086
90% (v/v) Recovered	°c	ASTM 086
95% (v/v) Recovered	°c	ASTM D86
Final Bollina Point	°c	ASTM086
Residue	*1101	ASTMD86
loss	%vol	ASTM D86
Total Recovery	%Vol	ASTM D86



LPG Related to customer LPG carrier 355 Analysis

	1 st KHORDAD TO 1 st MEHR	1 st MEHR TO 1 st AZAR	1 st AZAR TO 1 st ESFAND	1 st ESFAND TO 1 st KHORDAD
C/s vol%	15-35	30-50	50-70	30-50
C/s vol%	85-65	70-50	50-30	70-50
(TEHRAN , ARAK,SHIRAZ , KERMANSHAH , ESFAHAN)				
	1 st KHORDAD TO 1 st SHAHRIVAR	1 st SHAHRIVAR TO 1 st ABAN	1 st ABAN TO 1 st FARVARDIN	1 st FARVARDIN TO 1 st KHORDAD
C/s vol%	15-35	30-50	50-70	30-50
C/s vol%	85-65	70-50	50-30	70-50
TABRIZ				
	1 st TIR TO 1 st SHAHRIVAR	1 st SHAHRIVAR TO 1 st ABAN	1 st ABAN TO 1 st ORDIBEHESHT	1 st ORDIBEHESHT TO 1 st TIR
C/s vol%	15-35	30-50	50-70	30-50
C/s vol%	85-65	70-50	50-30	70-50

The latest issues of the relevant test methods shall be used .



HAND MADE AND AGRICULTURAL PRODUCTS

Product	Max capacity in every part	Max annual capacity	Unit price (USD)	Specifications	Sample Image
Carpet		Custom-made		Handmade Silk	
Jewelries	100k Num.	1m	Price list	Handmade Gold, silver, copper and brass base Different stones such as Sapphire, Emerald, Ruby, Topaz, Birthstones, Crystal, Turquoise, Aventurine etc.	



Caviar 0.1 ton 0.3 900k Beluga



Brittle Candy

3 ton

40

8k

Different kernels such as pistachio, almond, cashew, sesame, hazelnut etc.



Blanket

2500 Num.

90k

3 to 9

Polyester, Acrylic and Wool
Standard and Full/Queen Sized

